

Contents

| | |
|--|--------------|
| Foreword | ix |
| About this Book | xiii |
| Authors' Biographies | xvii |
| Authors' Acknowledgements | xxi |
| Symbian Press Acknowledgments | xxiii |
| Code Conventions and Notations | xxv |
| 1 Introduction | 1 |
| 1.1 The Convergence Device | 1 |
| 1.2 Transformation of the Media Industry | 3 |
| 1.3 Symbian OS | 5 |
| 1.4 The Cutting Edge | 6 |
| 1.5 Evolution of the Multimedia Subsystem in Symbian OS | 8 |
| 1.6 A Peek into the Future | 12 |
| 2 Multimedia Architecture | 15 |
| 2.1 The ECOM Framework | 15 |
| 2.2 Platform Security | 16 |

| | | |
|----------|--|------------|
| 2.3 | The Content Access Framework | 21 |
| 2.4 | Multimedia Subsystem | 23 |
| 2.5 | Future Multimedia Support | 31 |
| 3 | The Onboard Camera | 35 |
| 3.1 | Introduction | 35 |
| 3.2 | Accessing the Camera | 36 |
| 3.3 | Camera Control | 39 |
| 3.4 | Displaying the Viewfinder | 43 |
| 3.5 | Capturing Still Images | 46 |
| 3.6 | Capturing Video | 49 |
| 3.7 | Error Handling | 52 |
| 3.8 | Advanced Topics | 53 |
| 4 | Multimedia Framework: Video | 55 |
| 4.1 | Video Concepts | 55 |
| 4.2 | Symbian OS Video Architecture | 57 |
| 4.3 | Client API Introduction | 60 |
| 4.4 | Identifying Video Controllers | 61 |
| 4.5 | Controlling Video Playback | 62 |
| 4.6 | Controlling Screen Output | 71 |
| 4.7 | Getting Video Information | 81 |
| 4.8 | Accessing Metadata | 83 |
| 4.9 | Controlling the Audio Output | 84 |
| 4.10 | Streaming Playback | 87 |
| 4.11 | Recording Video | 88 |
| 4.12 | Controlling the Video that Is Recorded | 93 |
| 4.13 | Controlling the Audio that Is Recorded | 97 |
| 4.14 | Storing Metadata | 100 |
| 4.15 | Custom Commands | 101 |
| 4.16 | Examples and Troubleshooting | 102 |
| 5 | Multimedia Framework: Audio | 105 |
| 5.1 | Introduction | 105 |
| 5.2 | Audio Input and Output Streams | 107 |
| 5.3 | Audio Player Utility | 117 |
| 5.4 | Audio Recorder Utility | 122 |
| 5.5 | File Conversion | 127 |
| 5.6 | Tone Utility | 129 |
| 5.7 | DevSound | 134 |
| 5.8 | Audio Policies | 135 |
| 5.9 | Priority Settings | 137 |
| 5.10 | Miscellaneous | 138 |

| | | |
|----------|---|------------|
| 6 | Image Conversion Library | 141 |
| 6.1 | Introduction | 141 |
| 6.2 | Decoding Images | 144 |
| 6.3 | Encoding Images | 174 |
| 6.4 | Displaying Images | 181 |
| 6.5 | Transforming Images | 185 |
| 6.6 | Native Bitmap Operations | 189 |
| 6.7 | Miscellaneous APIs | 193 |
| | | |
| 7 | The Tuner API | 197 |
| 7.1 | Introduction | 197 |
| 7.2 | Getting Started | 198 |
| 7.3 | Basic Use Cases | 201 |
| 7.4 | Future Technologies | 206 |
| 7.5 | Sample Code | 207 |
| | | |
| 8 | Best Practice | 209 |
| 8.1 | Always Use an Active Scheduler | 209 |
| 8.2 | Use APPARC to Recognize Audio and Video | 210 |
| 8.3 | Don't Use the Video Player to Open Audio Files | 212 |
| 8.4 | Know that MMF and ICL Cannot Detect Some Formats | 212 |
| 8.5 | Don't Use <code>CMdaAudioOutputStream</code> for Network Streaming | 213 |
| 8.6 | Use <code>CMdaAudioPlayerUtility</code> to Play Tone Sequence Files | 215 |
| 8.7 | Use <code>CMdaAudioPlayerUtility</code> to Play Clips | 215 |
| 8.8 | Don't Hardwire Controller UIDs in Portable Code | 216 |
| 8.9 | Set Controller Thread Priorities Before Playing or Recording | 217 |
| 8.10 | Recognize that Behavior Varies when Several Clients Are Active | 218 |
| 8.11 | Understand that the System is Based on Plug-ins | 219 |
| 8.12 | Use <code>RFile</code> and <code>TMMSource</code> Instead of Passing a File Name | 221 |
| 8.13 | Consider the Volume Control | 222 |
| 8.14 | Know When to Use Threaded Requests on ICL | 222 |
| 8.15 | Don't Have too many Clients | 223 |
| 8.16 | Understand the Multi-heap Problem | 224 |
| | | |
| | References and Resources | 229 |
| | | |
| | Index | 233 |

